

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23697746	@ad<="20021126" or @rlad<="20021126" or @ptad<="20021126" or @pt1d<="20021126" or @pt3d<="20021126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 18:13
L2	0	print\$4 near9 (establish\$4 connect\$4) near10 (configur\$4 set\$4) with (deny den\$4 reject\$4) with (lan (wireless near3 network) bluetooth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 18:16
L3	242	print\$4 near9 (establish\$4 connect\$4) near10 (configur\$4 set\$4) with (lan (wireless near3 network) bluetooth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 18:16
L4	113	1 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 19:35
L5	1	(print\$4 near3 server) with detect\$4 with (deny reject\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 19:37
L6	4	(print\$4 near3 server) with (deny den\$4reject\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 19:38
L7	250	(print\$4 near3 server) with (detect\$4 near10 printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 20:39
L8	169	1 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 19:38
L9	52	(print\$4 near3 server) near8 (configur\$4 set\$4 establish\$4 connect\$4) same ((mode modes operat) near5 printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:18

EAST Search History

L10	44	1 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 20:43
L11	4294	(print\$4) near8 (configur\$4 set\$4 establish\$4 connect\$4) same ((mode modes operat) near5 printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:19
L12	1160	(print\$4) near8 (configur\$4 set\$4 establish\$4 connect\$4) same (mode modes operat busies busy off) same (lan (local near3 network) server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:20
L13	1160	(print\$4 near8 (configur\$4 set\$4 establish\$4 connect\$4)) same (mode modes operat busies busy off) same (lan (local near3 network) server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:21
L14	719	(printer near8 (configur\$4 set\$4 establish\$4 connect\$4)) same (mode modes operat busies busy off) same (lan (local near3 network) server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:26
L15	471	1 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:21
L16	289	(printer near8 (configur\$4 set\$4 establish\$4 connect\$4)) same (mode modes operat busies busy off) same (print\$4 near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:26
L17	925	(printer near8 (configur\$4 set\$4 establish\$4 connect\$4)) same (mode stat\$4 modes operat busies busy off) same (print\$4 near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:27
L18	473	(printer near8 (configur\$4 set\$4 establish\$4 connect\$4)) same (mode state states modes operat busies busy off) same (print\$4 near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:31
L19	333	1 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:27

EAST Search History

L20	78	(printer near8 (configur\$4 set\$4 establish\$4 connect\$4)) same (mode state states modes operat busies busy off) same ((print\$4 near3 server) near5 (detect\$4 monitor\$4 quer\$4 request\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:32
L21	52	1 and 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:32
L22	3	"20050212670"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:46
L23	1	10/715834	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 22:01
L24	2	"6314476".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 22:01